

Niples, ferrules y conexiones

Oxicorte y Gas



Número de parte WES*550-2, WES*15-11, WES*15-3, WES*15-4, WES*15-8 y WES*15-8CV

PART NO.	PART	DESCRIPTION	SERVICE
NIPPLE ASSEMBLY Pressures to 500 PSIG (3,445 kPa)		CGA - 240 FOR AMMONIA	
SS-24-3	Nipple	St. Steel, Nipple, 1/4" NPT ²	CGA-240

PART NO.	PART	DESCRIPTION	SERVICE
CGA - 280 FOR MEDICAL BREATHING MIXTURES			
284	Nut	Brass, .750"-14 NGO, RH Female ¹	CGA-280
283	Nipple	Brass, 1/4" NPT, 2" Long ¹	CGA-280
CGA - 296 FOR INDUSTRIAL MIXTURES OF OXYGEN			
29-2	Nut	Brass, .803"-14 UNS-2A, RH Male ¹	CGA-296
29-3	Nipple	Brass, 1/4" NPT, 3" Long ¹	CGA-296
6296	Nut	Brass, Hand-Tight, RH Male ¹	CGA-296

REGULATOR NUTS & NIPPLES, BRASS
Pressures to 3000 PSIG (20,700 kPa)



PART NO.	PART	DESCRIPTION	SERVICE
REGULATOR NUTS & NIPPLES, BRASS Pressures to 500 PSIG (3,445 kPa)		CGA - 300 FOR COMMERCIAL ACETYLENE	
16-2	Nut	Brass, .830"-14 NGO, RH Female ¹	CGA-300
16-3	Nipple	Brass, 1/4" NPT, 1-15/16" Long ¹	CGA-300
16-8	Nipple	Brass, 1/4" NPT, 2-1/2" Long ¹	CGA-300
16-8CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/CV ¹	CGA-300
616-2P	Nut	Hand-Tight, Plastic Grip, RH Female ¹	CGA-300
616-3	Nipple	Hand-Tight, 1/4" NPT, 2-1/2" Long ¹	CGA-300



PART NO.	PART	DESCRIPTION	SERVICE
CGA - 350 FOR HYDROGEN/NATURAL GAS			
82	Nut	Brass, .830"-14 NGO, LH Female ¹	CGA-350
83	Nipple	Brass, 1/4" NPT, 2-1/2" Long ¹	CGA-350
83-CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/Check V ¹	CGA-350
83-M1	Nipple	Recessed for 1/4" OD Tube ¹	CGA-350
87	Nipple	Brass, 1/4" NPT, 3" Long ¹	CGA-350
682	Nut	Brass, Hand-Tight, LH Female ¹	CGA-350
682P	Nut	Plastic Grip, Hand-Tight, LH Female ¹	CGA-350
683	Nipple	Hand-Tight, 1/4" NPT, 2-1/2" Long ¹	CGA-350
683-PT	Tip	Soft Tip Replacement	CGA-350
SS-82	Nut	St. Steel, .830"-14 NGO, LH Female ²	CGA-350
SS-83	Nipple	St. Steel, 1/4" NPT, 2-1/2" Long ²	CGA-350
SS-83M1	Nipple	Recessed for 1/4" OD Tube ²	CGA-350
CGA - 410 FOR CANADIAN ACETYLENE			
410-2	Nut	Brass, .855"-14 NGO, LH Female ¹	CGA-410
410-3	Nipple	Brass, 1/4" NPT, 2-1/2" Long ¹	CGA-410
CGA - 500 FOR MEDICAL MIXTURES			
15-8	Nipple	Brass, 1/4" NPT, 2-1/2" Long ¹	CGA-500
15-8CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/CV ¹	CGA-500
15-8M1	Nipple	Recessed for 1/4" OD Tube ¹	CGA-500
15-8M2	Nipple	Recessed for 5/16" OD Tube ¹	CGA-500
15-8M3	Nipple	Recessed for 3/8" OD Tube ¹	CGA-500
15-3	Nipple	Brass, 1/4" NPT, 4-1/2" Long ¹	CGA-500
15-4	Nipple	Recessed for 1/4" OD Tube ¹	CGA-500
15-11	Nipple	Recessed for 5/16" OD Tube ¹	CGA-500
500-2	Nut	Brass, .880"-14 NGO, RH Male ¹	CGA-500

REGULATOR NUTS & NIPPLES, BRASS & STAINLESS STEEL
Pressures to 3000 PSIG (20,700 kPa)



WARNING: This product can expose you to lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



33 3125-2577
33 3125-2568 | 33 2464-1404

contactenos@saltec-mexico.com.mx



Prolongación Av Guadalupe 1675
Col. Paraísos del Collí, Zapopan.

Lun-Vie: 8 am - 6 pm
Sab: 9 am - 1 pm

Niples, ferrules y conexiones



CGA-580, CGA-590, CGA-660

REGULATOR NUTS & NIPPLES, BRASS & STAINLESS STEEL Pressures to 3000 PSIG (20,700 kPa)		PART NO.	PART	DESCRIPTION	SERVICE
		CGA - 580 FOR ARGON, HELIUM & NITROGEN			
		92	Nut	Brass, .960"-14 NGO, RH Male ¹	CGA-580
		15-3	Nipple	Brass, 1/4" NPT, 3" Long ¹	CGA-580
		15-4	Nipple	Brass, 1/4" NPT, 3-1/2" Long ¹	CGA-580
		15-8	Nipple	Brass, 1/4" NPT, 2-1/2" Long ¹	CGA-580
		15-8CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/CV ¹	CGA-580
		15-11	Nipple	Brass, 1/4" NPT, 4-1/2" Long ¹	CGA-580
		15-9	Nipple	Brass, 1/2"-27, 3" Long ¹	CGA-580
		15-5	Nipple	Brass, 1/2"-27, 4" Long ¹	CGA-580
		15-8M1	Nipple	Recessed For 1/4" OD Tube ¹	CGA-580
		15-8M2	Nipple	Recessed For 5/16" OD Tube ¹	CGA-580
		692	Nut	Brass, Hand-Tight, RH Male ¹	CGA-580
		692P	Nut	Plastic Grip, Hand-Tight, RH Male ¹	CGA-580
		615-0	O-Ring	Replacement O-Ring (RO-111V)	CGA-580
		615-PT	Tip	Soft Tip Replacement	CGA-580
		615-3	Nipple	Hand-Tight, 1/4" NPT, 3-1/2" Long, w/O-Ring ¹	CGA-590
		615-3T	Nipple	Hand-Tight, 1/4" NPT, 3" Long, w/Soft Tip ¹	CGA-590
		615-8M1T	Nipple	Hand-Tight, 1/4" OD Tube, 2-1/8" Long ¹	CGA-580
		SS-92	Nut	St. Steel, .960"-14 NGO, RH Male ²	CGA-580
		SS-15-3	Nipple	St. Steel, 1/4" NPT, 3" Long ²	CGA-580
		SS-15-3CV	Nipple	St. Steel, 1/4" NPT, 3" Long w/CV ²	CGA-580
		SS-15-8M1	Nipple	Recessed For 1/4" OD Tube ²	CGA-580

PART NO.	PART	DESCRIPTION	SERVICE
CGA - 590 FOR INDUSTRIAL AIR			
93	Nut	Brass, .960"-14 NGO, LH Male ¹	CGA-590
15-3	Nipple	Brass, 1/4" NPT, 3" Long ¹	CGA-590
15-4	Nipple	Brass, 1/4" NPT, 3-1/2" Long ¹	CGA-590
15-8	Nipple	Brass, 1/4" NPT, 2-1/2" Long ¹	CGA-590
15-8CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/CV ¹	CGA-590
15-9	Nipple	Brass, 1/2"-27, 3" Long ¹	CGA-590
15-5	Nipple	Brass, 1/2"-27, 4" Long ¹	CGA-590
15-11	Nipple	Brass, 1/4" NPT, 4-1/2" Long ¹	CGA-590
15-8M1	Nipple	Recessed For 1/4" OD Tube ¹	CGA-590
15-8M2	Nipple	Recessed For 5/16" OD Tube ¹	CGA-590
15-8M3	Nipple	Recessed For 3/8" OD Tube ¹	CGA-590
693	Nut	Brass, Hand-Tight, LH Male ¹	CGA-590
693P	Nut	Plastic Grip, Hand-Tight, LH Male ¹	CGA-590
615-3	Nipple	Hand-Tight, 1/4" NPT, 3-1/2" Long, w/O-Ring ¹	CGA-590
615-3T	Nipple	Hand-Tight, 1/4" NPT, 3" Long, w/Soft Tip ¹	CGA-590
615-0	O-Ring	Replacement O-Ring (RO-111V)	CGA-590
615-PT	Tip	Soft Tip Replacement	CGA-590
SS-93	Nut	St. Steel, .960"-14 NGO, LH Male ²	CGA-590
SS-15-3	Nipple	St. Steel, 1/4" NPT, 3" Long ²	CGA-590
SS-15-3CV	Nipple	St. Steel, 1/4" NPT, 3" Long w/CV ²	CGA-590
SS-15-8M1	Nipple	Recessed For 1/4" OD Tube ²	CGA-590
CGA - 660 FOR REFRIGERANT GASES			
604	Nut	Brass, 1.035"-14 NGO, RH Female ¹	CGA-660
603	Nipple	Brass, 1/4" NPT, 1-3/4" Long ¹	CGA-660
603-A	Nipple	Brass, 1/4" NPT, 2-1/4" Long ¹	CGA-660
SS-603A	Nipple	St. Steel, 1/4" NPT, 2-1/4" Long ²	CGA-660
SS-604	Nut	St. Steel, 1.035"-14 NGO, RH Female ²	CGA-660
665	Washer	PTFE	CGA-660

WARNING: This product can expose you to lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



33 3125-2577

33 3125-2568 | 33 2464-1404



contactenos@saltec-mexico.com.mx



Prolongación Av Guadalupe 1675
Col. Paraísos del Collí, Zapopan.



Lun-Vie: 8 am - 6 pm
Sab: 9 am - 1 pm

Nipples, ferrules y conexiones



CGA-320, CGA-510, CGA-520, CGA-540

PART NO.	PART	DESCRIPTION	SERVICE
CGA - 510 FOR POL ACETYLENE			
15-2	Nut	Brass, .880"-14 NGO, LH Male ¹	CGA-510
15-3	Nipple	Brass, 1/4" NPT, 3" Long ¹	CGA-510
15-4	Nipple	Brass, 1/4" NPT, 3-1/2" Long ¹	CGA-510
15-5	Nipple	Brass, 1/2"-27, 4" Long ¹	CGA-510
15-8	Nipple	Brass, 1/4" NPT, 2-1/2" Long ¹	CGA-510
15-8CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/Check ¹	CGA-510
15-9	Nipple	Brass, 1/2"-27, 3" Long ¹	CGA-510
15-11	Nipple	Brass, 1/4" NPT, 4-1/4" Long ¹	CGA-510
15-8M1	Nipple	Recessed for 1/4" OD Tube ¹	CGA-510
15-8M2	Nipple	Recessed for 5/16" OD Tube ¹	CGA-510
15-8M3	Nipple	Recessed for 3/8" OD Tube ¹	CGA-510
615-2	Nut	Brass, Hand-Tight, LH Male ¹	CGA-510
615-2P	Nut	Plastic Grip, Hand-Tight, LH Male ¹	CGA-510
615-3	Nipple	Hand-Tight, 1/4" NPT, 3-1/2" Long, w/O-Ring ¹	CGA-510
615-3T	Nipple	Hand-Tight, 1/4" NPT, 3" Long, w/Soft Tip ¹	CGA-510
615-8M1T	Nipple	Hand-Tight, Recessed for 1/4" Tube w/Soft Tip ¹	CGA-510
615-0	O-Ring	Replacement O-Ring (RO-111V)	CGA-510
615-PT	Tip	Soft Tip Replacement	CGA-510
SS-15-2	Nut	St. Steel, .880"-14 NGO, LH Male ²	CGA-510
SS-15-3	Nipple	St. Steel, 1/4" NPT, 3" Long ²	CGA-510
SS-15-3CV	Nipple	St. Steel, 1/4" NPT, 3" Long w/CV ²	CGA-510
SS-15-8M1	Nipple	Recessed for 1/4" OD Tube ²	CGA-510
CGA - 520 FOR "B" TANK - ACETYLENE			
300-2	Nut	Brass, .899"-18 NGO, RH Female ¹	CGA-520
300-3	Nipple	Brass, 1/4" NPT, 1-3/4" Long ¹	CGA-520

REGULATOR NUTS & NIPPLES,
BRASS & STAINLESS STEEL
Pressures to 500 PSIG (3,400 kPa)



PART NO.	PART	DESCRIPTION	SERVICE
CGA - 540 FOR OXYGEN			
62	Nut	Brass, .908"-14 NGO, RH Female ¹	CGA-540
63-CV	Nipple	Brass, 1/4" NPT, 2" Long w/CV ¹	CGA-540
63	Nipple	Brass, 1/4" NPT, 2-1/6" Long ¹	CGA-540
66	Nipple	Brass, 1/4" NPT, 2-1/2" Long ¹	CGA-540
69	Nipple	Brass, 1/4" NPT, 3" Long ¹	CGA-540
67	Nipple	Brass, 1/2"-27, 2-1/2" Long ¹	CGA-540
63-M1	Nipple	Recessed for 1/4" OD Tube ¹	CGA-540
63-M2	Nipple	Recessed for 5/16" OD Tube ¹	CGA-540
662	Nut	Brass, Hand-Tight, RH Female ¹	CGA-540
662P	Nut	Plastic Grip, Hand-Tight, RH Female ¹	CGA-540
663	Nipple	Hand-Tight, 1/4" NPT, 2-1/2" Long ¹	CGA-540
663-KPT	Tip	Soft Tip Replacement	CGA-540
SS-62	Nut	St. Steel, .908"-14 NGO, RH Female ²	CGA-540
SS-63	Nipple	St. Steel, 1/4" NPT, 2-1/2" Long ²	CGA-540
CGA - 555 FOR BUTANE, PROPANE (LIQUID WITHDRAWL)			
72	Nut	Brass, .908"-14 NGO, LH Female ¹	CGA-555
63-CV	Nipple	Brass, 1/4" NPT, 2" Long w/Check V ¹	CGA-555
73	Nipple	Brass, 1/4" NPT, 2-1/16" Long ¹	CGA-555
672	Nut	Brass, Hand-Tight, LH Female ¹	CGA-555
673	Nipple	Brass, 2-1/2" NPT	CGA-555
673-KPT	Nipple		CGA-555
CGA - 577 FOR OXYGEN: 4,000 PRESSURE TO 4000 PSIG			
577-2	Nut	Brass, .965"-14 NGO, RH Female ¹	CGA-577
577-4SF	Nipple	Brass w/Filter, 1/4" NPT, 3" Long ¹	CGA-577

REGULATOR NUTS & NIPPLES,
BRASS & STAINLESS STEEL
Pressures to 3000 PSIG (20,700 kPa)



WARNING: This product can expose you to lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

